Epidemiology & Infection

VOLUME 130, 2003

SENIOR EDITOR
Professor N. Noah

EDITORS
Dr P. Aavitsland
Dr M. Bennett
Professor K. A. V. Cartwright
Dr C. Raina MacIntyre
Professor K. Morgan
Dr C. W. Hedberg
Dr T. L. Pitt
Dr G. B. Nair
Dr H. Watanabe
Dr T. Wreghitt

MANAGING EDITOR
Professor P. Morgan-Capner

EDITORIAL BOARD
R. M. Anderson
C. S. Bloch
N. Chanter
B. Drasar
C. Fairley
C. P. Farrington
K. Forbes
N. P. French
D. J. Hampson
S. A. Howell
T. J. Humphrey
A. P. Kendal
J. B. Kurtz
D. H. Lloyd
T. J. Marrie
E. Miles
E. Miller
P. P. Mortimer
D. J. Platt
M. E. Potter
S. Rankin
M. D. Smith
E. J. Threlfall
M. J. Woodward

CAMBRIDGE
UNIVERSITY PRESS

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York, NY 10011–4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

© Cambridge University Press 2003

Printed in the United Kingdom at the University Press, Cambridge

CONTENTS

No. 1 (FEBRUARY 2003)

The study of infectious intestinal disease in England: socio-economic impact
Roberts, J. A., Cumberland, P., Sockett, P. N., Wheeler, J., Rodrigues, L. C., Sethi, D. and Roderick, P. J. on behalf of the IID Study Executive 1

Outbreaks of typhoid fever in the United States, 1960–99
Olsen, S. J., Bleasdale, S. C., Magnano, A. R., Landrigan, C., Holland, B. H., Tauxe, R. V., Mintz, E. D. and Luby, S. 13

***Campylobacter* spp. in Icelandic poultry operations and human disease**
Stern, N. J., Hiett, K. L., Alfredsson, G. A., Kristinsson, K. G., Reiersen, J., Hardardottir, H., Briem, H., Gunnarsson, E., Georgsson, F., Lowman, R., Berndtson, E., Lammerding, A. M., Paoli, G. M. and Musgrove, M. T. 23

An extensive outbreak of staphylococcal food poisoning due to low-fat milk in Japan: estimation of enterotoxin A in the incriminated milk and powdered skim milk
Asao, T., Kumeda, Y., Kawai, T., Shibata, T., Oda, H., Haruki, K., Nakazawa, H. and Kozaki, S. 33

Variation in management of community-acquired pneumonia requiring admission to Alberta, Canada hospitals
Jin, Y., Marrie, T. J., Carriere, K. C., Predy, G., Houston, C., Ness, K. and Johnson, D. H. 41

Meningococcal disease and social deprivation: a small area geographical study in Gwent, UK
Fone, D. L., Harries, J. M., Lester, N. and Nehaul, L. 53

Genetic analysis of capsular status of meningococcal carrier isolates
Sadler, F., Fox, A., Neal, K., Dawson, M., Cartwright, K. and Borrow, R. 59

Tetanus in England and Wales, 1984–2000
Rushdy, A. A., White, J. M., Ramsay, M. E. and Crowcroft, N. S. 71

Febrile gastroenteritis after eating on-farm manufactured fresh cheese – an outbreak of listeriosis?
Carrique-Mas, J. J., Hökeberg, I., Andersson, Y., Arneborn, M., Tham, W., Danielsson-Tham, M.-L., Osterman, B., Leffler, M., Steen, M., Eriksson, E., Hedin, G. and Giesecke, J. 79

No association between *Helicobacter pylori* and *Mycobacterium tuberculosis* infections among gastrointestinal clinic attendees in Lima, Peru
Torres, M. A., Passaro, D. J., Watanabe, J., Parsonnet, J., Small, P., Miyagui, J., Rodriquez, C., Astete, M. and Gilman, R. H. 87

Non-specific alert system for dengue epidemic outbreaks in areas of endemic malaria. A hospital-based evaluation in Cayenne (French Guiana)
Carme, B., Sobesky, M., Biard, M. H., Cotellon, P., Aznar, C. and Fontanella, J. M. 93

Use of RT–PCR on oral fluid samples to assist the identification of measles cases during an outbreak
Oliveira, S. A., Siqueira, M. M., Camacho, L. A. B., Castro-Silva, R., Bruno, B. F. and Cohen, B. J. 101

Detection of human rotavirus serotype G6 in Hungary
Bányai, K., Gentsch, J. R., Glass, R. I. and Szűcs, G. 107

Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. I. Natural occurrence of myxomatosis
Merchant, J. C., Kerr, P. J., Simms, N. G. and Robinson, A. J. 113

Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. II. Selection of a strain of virus for release
Kerr, P. J., Merchant, J. C., Silvers, L., Hood, G. M. and Robinson, A. J. 123

Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. III. Release, persistence and rate of spread of an identifiable strain of myxoma virus
Merchant, J. C., Kerr, P. J., Simms, N. G., Hood, G. M., Pech, R. P. and Robinson, A. J. 135

Bartonella infection in sylvatic small mammals of central Sweden
Holmberg, M., Mills, J. N., McGill, S., Benjamin, G. and Ellis, B. A. 149

Molecular characterization of *Leptospira* spp. strains isolated from small rodents in Croatia
Turk, N., Milas, Z., Margaletic, J., Staresina, V., Slavica, A., Riquelme-Sertour, N., Bellenger, E., Baranton, G. and Postic, D. 159

Book Review
Madkour's Brucellosis 167

Notes for contributors

No. 2 (April 2003)

A national outbreak of multi-resistant *Salmonella enterica* serovar Typhimurium definitive phage type (DT) 104 associated with consumption of lettuce
Horby, P. W., O'Brien, S. J., Adak, G. K., Graham, C., Hawker, J. I., Hunter, P., Lane, C., Lawson, A. J., Mitchell, R. T., Reacher, M. H., Threlfall, E. J. and Ward, L. R. on behalf of the PHLS Outbreak Investigation Team 169

Environmental isolates of *Citrobacter braakii* that agglutinate with *Escherichia coli* O157 antiserum but do not possess the genes responsible for the biosynthesis of O157 somatic antigen
Khan, A., Nandi, R. K., Das, S. C., Ramamurthy, T., Khanam, J., Shimizu, T., Yamasaki, S., Bhattacharya, S. K., Chaicumpa, W., Takeda, Y. and Balakrish Nair, G. 179

Outbreak of *Pseudomonas aeruginosa* folliculitis associated with a swimming pool inflatable
Tate, D., Mawer, S. and Newton, A. 187

FcyRIIa and FcyRIIIb polymorphisms were not associated with meningococcal disease in western Norway
Smith, I., Vedeler, C. and Halstensen, A. 193

Analysis of longitudinal bacterial carriage studies accounting for sensitivity of swabbing: an application of *Neisseria meningitidis*
Trotter, C. L. and Gay, N. J. 201

Coagulase gene variants associated with distinct populations of *Staphylococcus aureus*
Carter, P. E., Begbie, K. and Thomson-Carter, F. M. 207

Assessment of neonatal tetanus elimination in an African setting by lot quality assurance cluster sampling (LQA-CS)
Cotter, B., Bremer, V., Stroh, G., Msambichaka, K., Mabuzane, E., Munyoro, M., Shirehwa, F., Biellik, R. and Birmingham, M. 221

Smoking and polymorphisms of fucosyltransferase gene *Le* affect success of *H. pylori* eradication with lansoprazole, amoxicillin, and clarithromycin
Matsuo, K., Hamajima, N., Ikehara, Y., Suzuki, T., Nakamura, T., Matsuura, A., Tajima, K. and Tyominaga, S. 227

Audit of scope and culture techniques applied to samples for the diagnosis of *Mycobacterium bovis* by hospital laboratories in England and Wales
Drobniewski, F., Strutt, M., Smith, G., Magee, J. and Flanagan, P. 235

Molecular study on human tuberculosis in three geographically distinct and time delineated populations from ancient Egypt
Zink, A. R., Grabner, W., Reischl. U., Wolf, H. and Nerlich, A. G. 239

First epidemic of aseptic meningitis due to echovirus type 13 among Spanish children
Trallero, G., Casas, I., Avellon, A., Perez, C., Tenorio, A. and De La Loma, A. 251

An outbreak of echovirus 13 meningitis in central Israel
Somekh, E., Cesar, K., Handsher, R., Hanukoglu, A., Dalal, I., Ballin, A. and Shohat, T. 257

A large outbreak of influenza A and B on a cruise ship causing widespread morbidity
Brotherton, J. M. L., Delpech, V. C., Gilbert, G. L., Hatzi, S., Paraskevopoulos, P. D. and MacNulty, C. A. M. on behalf of the Cruise Ship Outbreak Investigation Team 263

Economic evaluation of options for measles vaccination strategy in a hypothetical Western European country
Beutels, Ph. and Gay, N. J. 273

Improving sensitivity of oral fluid testing in IgG prevalence studies: application of mixture models to a rubella antibody survey
Gay, N. J., Vyse, A. J., Enquselassie, F., Nigatu, W. and Nokes, D. J. 285
Injections in health care settings: a risk factor for acute hepatitis B virus infection in Karachi, Pakistan
Usman, H. R., Akhtar, S., Rahbar, M. H., Hamid, S., Moattar, T. and Luby, S. P. 293
Factors influencing the shedding of verocytotoxin-producing *Escherichia coli* O157 by beef suckler cows
Synge, B. A., Chase-Topping, M. E., Hopkins, G. G., McKendrick, I. J., Thomson-Carter, F., Gray, D., Rusbridge, S. M., Munro, F. I., Foster, G. and Gunn, G. J. 301
Prevalence and characterization of Vero cytotoxin-producing *Escherichia coli* isolated from diarrhoeic and healthy sheep and goats
Orden, J. A., Ruiz-Santa-Quiteria, J. A., Blanco, M., Blanco, J. E., Mora, A., Cid, D., Gonzalez, E. A., Blanco, J. and de la Fuente, R. 313
A one-year study of campylobacter carriage by individual Danish broiler chickens as the basis for selection of *Campylobacter* spp. strains for a chicken infection model
Bang, D. D., Nielson, E. M., Knudsen, K. and Madsen, M. 323
Clinical, epidemiological and molecular characteristics of *Streptococcus uberis* infections in dairy herds
Zadoks, R. N., Gillespie, B. E., Barkema, H. W., Sampimon, O. C., Oliver, S. P. and Schukken, Y. H. 335

Book Review
Communicable Disease Control Handbook 351

No. 3 (JUNE 2003)

A case–control study of risk factors for sporadic campylobacter infections in Denmark
Neimann, J., Engberg, J., Mølbak, K. and Wegener, H. C. 353
Point source outbreaks of *Campylobacter jejuni* infection – are they more common than we think and what might cause them?
The *Campylobacter* Sentinel Surveillance Scheme Collaborators 367
***Campylobacter jejuni* isolated from poultry and humans in Styria, Austria: epidemiology and ciprofloxacin resistance**
Hein, I., Schneck, C., Knögler, M., Feierl, G., Pless, P., Köfer, J., Achmann, R. and Wagner, M. 377
A national outbreak of infection with *Salmonella enteritidis* phage types 5c and 6a associated with Chinese food businesses in Scotland, summer 2000
Cowden, J., Hamlet, N., Locking, M. and Allardice, G. 387
Prevalence and serodiversity of the pandemic clone among the clinical strains of *Vibrio parahaemolyticus* isolated in southern Thailand
Laohaprertthisan, V., Chowdhury, A., Kongmuang, U., Kalnauwakul, S., Ishibashi, M., Matsumoto, C. and Nishibuchi, M. 395
A major methicillin-resistant *Staphylococcus aureus* clone predominates in Malaysian hospitals
Norazah, A., Lim, V. K. E., Rohani, M. Y., Alfizah, H., Koh, Y. T. and Kamel, A. G. M. 407
Sibling familial risk ratio of meningococcal disease in UK Caucasians
Haralambous, E., Weiss, H. A., Radalowicz, A., Hibberd, M. L., Booy, R. and Levin, M. 413
A mathematical model for evaluating the impact of vaccination schedules: application to *Neisseria meningitidis*
Tuckwell, H. C., Hanslik, T., Valleron, A.-J. and Flahault, A. 419
Laboratory surveillance of bacterial gastroenteric pathogens in The Netherlands, 1991–2001
van Pelt, W., de Wit, M. A. S., Wannet, W. J. B., Ligtvoet, E. J. J., Widdowson, M. A. and van Duynhoven, Y. T. H. P. 431
Prevalence of gastroenteritis among 4-year-old children in South Australia
Heyworth, J. S., Baghurst, P. and McCaul, K. A. 443
The Infectious Intestinal Disease Study of England: a prospective evaluation of symptoms and health care use after an acute episode
Cumberland, P., Sethi, D., Roderick, P. J., Wheeler, J. G., Cowden, J. M., Roberts, J. A., Rodrigues, L. C., Hudson, M. J. and Tompkins, D. S. on behalf of the IID Study Executive 453

Milkborne general outbreaks of infectious intestinal disease, England and Wales, 1992–2000
Gillespie, I. A., Adak, G. K., O'Brien, S. J. and Bolton, F. J. 461
Outbreaks of infectious disease associated with private drinking water supplies in England and Wales 1970–2000
Said, B., Wright, F., Nichols, G. L., Reacher, M. and Rutter, M. 469
Risk factors for drug resistant tuberculosis in Leicestershire – poor adherence to treatment remains an important cause of resistance
Pritchard, A. J., Hayward, A. C., Monk, P. N. and Neal, K. R. 481
A novel multiplex-PCR for the rapid identification of *Mycobacterium bovis* in clinical isolates of both veterinary and human origin
Cobos-Marín, L., Montes-Vargas, J., Rivera-Gutierrez, S., Licea-Navarro, A., González-Y-Merchand, J. A. and Estrada-García, I. 485
The effect of *C. burnetii* infection on the quality of life of patients following an outbreak of Q fever
Hatchette, T. F., Hayes, M., Merry, H., Schlech, W. F. and Marrie, T. J. 491
Prevalence and risk factors for HIV, hepatitis B and hepatitis C in a forensic population of rapists and child molesters
Giotakos, O., Bourtsoukli, P., Paraskeyopoulou, T., Spandoni, P., Stasinos, S., Boulougouri, D. and Spirakou, E. 497
Genotypes of hepatitis C virus circulating in Tunisia
Djebbi, A., Triki, H., Bahri, O., Cheikh, I., Sadraoui, A., Ben Ammar, A. and Dellagi, K. 501
Seroepidemiology of measles in Addis Ababa, Ethiopia: implications for control through vaccination
Enquselassie, F., Ayele, W., Dejene, A., Messele, T., Abebe, A., Cutts, F. T. and Nokes, D. J. 507
Epidemiology and molecular characterization of co-circulating influenza A/H3N2 virus variants in children: Houston, Texas, 1997–8
O'Donnell, F. T., Munoz, F. M., Atmar, R. L., Hwang, L. Y., Demmler, G. J. and Glezen, W. P. 521
Immunoglobulin G enzyme-linked immunosorbent assay using truncated nucleoproteins of Reston Ebola virus
Ikegami, T., Saijo, M., Niikura, M., Miranda, M. E., Calaor, A. B., Hernandez, M., Manalo, D. L., Kurane, I., Yoshikawa, Y. and Morikawa, S. 533
Transmission of bovine herpesvirus 1 within and between herds on an island with a BHV1 control programme
Hage, J. J., Schukken, Y. H., Schols, H., Maris-Veldhuis, M. A., Rijsewijk, F. A. M. and Klaassen, C. H. L. 541
The potential role of wild rabbits *Oryctolagus cuniculus* in the epidemiology of paratuberculosis in domestic ruminants
Daniels, M. J., Henderson, D., Greig, A., Stevenson, K., Sharp, J. M. and Hutchings, M. R. 553
The risk of disease transmission to livestock posed by contamination of farm stored feed by wildlife excreta
Daniels, M. J., Hutchings, M. R. and Greig, A. 561
Changing prevalent T serotypes and *emm* genotypes of *Streptococcus pyogenes* isolates from streptococcal toxic shock-like syndrome (TSLS) patients in Japan
Ikebe, T., Murai, N., Endo, M., Okuno, R., Murayama, S., Saitoh, K., Yamai, S., Suzuki, R., Isobe, J., Tanaka, D., Katsukawa, C., Tamaru, A., Katayama, A., Fujinaga, Y., Hoashi, K., Ishikawa, J., Watanabe, H. and The Working Group for Group A Streptococci in Japan 569